DISEASE/DISORDER	COLUMBIAN FINANCIAL GROUP: Safe Shield	FORESTERS: Smart U.L. & Strong Foundation	MUTUAL OF OMAHA: Term Life Express - G.U.L. Express	GPM: Equity Protector	AMERICO: HMS Series	American Amicable:
AIDS	DECLINE	DECLINE	DECLINE	DECLINE	DECLINE	DECLINE
Alcoholism	Within past 5 years: DECLINE	After 5 years, without relapse, no current use: ACCEPT	Within past 10 years: DECLINE	Years since successful treatment without relapse: >5 years: CLASSIC 1 2-5 years: CLASSIC 2 <2 years: DECLINE Current use: DECLINE	PEQUIS PEQUIS	After 4 years since abstained use:
Alzheimer's	DECLINE	DECLINE	DECLINE	DECLINE	DECLINE	DECLINE
Amputation	Injury: POSSIBLE ACCEPT Disease: DECLINE	Injury: ACCEPT Disease: DECLINE	Injury: ACCEPT Disease: DECLINE	Injury: CLASSIC 1 Disease: DECLINE	Accidental, fully recovered and working full time: USUALLY ACCEPT All Others: DECLINE	Amputation from injury only:
Aneurysm	DECLINE	DECLINE	DECLINE	Surgically corrected over 3 years prior: CLASSIC1 Otherwise: DECLINE	DECLINE	DECLINE
	EQUIS	EQUIS	EQUIS EQUIS	Investigated w/ heart catheterization, describedas stable mildor moderate: Non-tobacco	EQUIS	EQUIS 1
		EQUIS	EQUIS 7	≥age 60: CLASSIC1 ≥age 60: CLASSIC2		EQUIS
Angina (Chest Pain)	DECLINE	DECLINE	DECLINE	Tobacco	DECLINE	DECLINE
Angina (Glest Fall)	EQUIS	FQUIS	EQUIS	<age 60:="" classic2<="" td=""><td>EQUIS</td><td>EQUIS</td></age>	EQUIS	EQUIS
		EQUIS FRANCE AND	EQUIS TE	Unstable chest pain, described as severe, not investigated w/ cardiac catheterization: DECLINE		FOUIS FLORING THE
		EQUIS	EQUIS	Combined with diabetes: DECLINE		EQUIS

DISEASE/DISORDER	COLUMBIAN FINANCIAL GROUP: Safe Shield	FORESTERS: Smart U.L. & Strong Foundation	MUTUAL OF OMAHA: Term Life Express - G.U.L. Express	GPM: Equity Protector	AMERICO: HMS Series	American Amicable:
	EQUIS	EQUIS	EQUIS 7	Non-tobacco ≥age 60: CLASSIC1	EQUIS	EQUIS
	EQUIS	EQUIS	EQUIS	<age 60:="" classic2="" td="" tobacco<=""><td>EQUIS</td><td>EQUIS</td></age>	EQUIS	EQUIS
	In the past 10 years received treatment/ diagnosis or had	EQUIS	EQUIS FE	≥age 60: CLASSIC2	EQUIS	EQUIS
Angioplasty/Stent Implant	follow-up: DECLINE If more than 10 years:	DECLINE	DECLINE	Ongoing chest pain after surgery: DECLINE	DECLINE	DECLINE
	POSSIBLE ACCEPT	EQUIS	EQUIS	Combined with diabetes:	EQUIS	EQUIS
	*Medical Records Required	EQUIS	EQUIS	DECLINE Combined with stroke/	EQUIS	EQUIS
	EQUIS	EQUIS	EQUIS E	tia: DECLINE	EQUIS	EQUIS
	EQUIS	EQUIS	EQUIS	Mild: treated with ≤2 meds.	EQUIS -	EQUIS
	EQUIS	EQUIS	EQUIS	CLASSIC1	EQUIS	EQUI
	EQUIS	Mild, > age 25, onset	If hospitalized within the	Moderate: treated with 3 meds.	EQUIS	1 medication,
Anxiety	ACCEPT	more than 1 year or later, no hospitalizations or	past 10 years due to: DECLINE	CLASSIC2	USUALLY ACCEPT	situational in nature
	EQUIS	time off work: ACCEPT	Otherwise: ACCEPT	Severe: treated with >3 meds, recent hospitalization, and/or interferes with daily living: DECLINE	EQUIS -	STANDARD HEQUIS

DISEASE/DISORDER	COLUMBIAN FINANCIAL GROUP:	FORESTERS:	MUTUAL OF OMAHA:	GPM :	AMERICO:	American Amicable:
	Safe Shield	Smart U.L. & Strong Foundation	Term Life Express - G.U.L. Express	Equity Protector	HMS Series	Home Protector
	FQUIS -	FQUIS -	TEQUIS 7	Atrial fibrillation (see below)	FQUIS -	EQUIS -
	EQUIS	EQUIS	EQUIS	Paroxysmal		EQUIS
	EQUIS	EQUIS	FQUIS TE	supraventricular tachycardia: CLASSIC1		EQUIS
	EQUIS	EQUIS	EQUIS	Paroxysmal ventricular tachycardia:		EQUIS
	EQUIS -	EQUIS	EQUIS	DECLINE		EQUIS *
	EQUIS	EQUIS	EQUIS -	Premature atrial complexes:		EQUIS
	EQUIS 7	EQUIS	EQUIS E	CLASSIC1		EQUIS
	In the past 10 years	EQUIS 1	FOUIS	Premature ventricular complexes:		EQUIS
	received treatment/ diagnosis or had follow-up: DECLINE	EQUIS	EQUIS	Sick Sinus Syndrome:		EQUIS
Arrhythmia	If more than 10 years:	DECLINE	DECLINE	DECLINE	DECLINE	DECLINE
	POSSIBLE ACCEPT	EQUIS	EQUIS F	Sinus bradycardia (BPM ≥45)		EQUIS
	*Medical Records Required	EQUIS	EQUIS	CLASSIC1		EQUIS
	EQUIS	EQUIS -	FQUIS 7	Sinus tachycardia (BPM≤120)		EQUIS
	EQUIS	EQUIS	EQUIS	CLASSIC1		EQUIS
	EQUIS	EQUIS	EQUIS FE	Ventricular fibrillation DECLINE		EQUIS
	EQUIS	EQUIS -	EQUIS	Wandering pacemaker		EQUIS
	FQUIS =	FQUIS 5	FQUIS 7	CLASSIC1		FQUIS !
	EQUIS	EQUIS	EQUIS 1	Any arrythmia combined with		EQUIS
	EQUIS	EQUIS	EQUIS F	ischemic heart disease or other organic heart disease DECLINE		EQUIS

DISEASE/DISORDER	COLUMBIAN FINANCIAL GROUP:	FORESTERS:	MUTUAL OF OMAHA:	GPM:	AMERICO:	American Amicable:
	Safe Shield	Smart U.L. & Strong Foundation	Term Life Express - G.U.L. Express	Equity Protector	HMS Series	Home Protector
	EQUIS -	EQUIS	FQUIS 7	Osteoarthritis: CLASSIC	EQUIS -	EQUIS -
	EQUIS	EQUIS	EQUIS	Psoriatic: CLASSIC1	EQUIS	EQUIS
Arthritis	If Severe - can include deformities in joints, nodules, restrictions in movement, need assistance with some ADLs, chronic daily pain: DECLINE	Osteoarthritis: ACCEPT Rheumatoid - minor no limitations: ACCEPT Severe/Moderate (RX include Humira, Enbrel, Prednisone): DECLINE	Moderate/Severe rheumatoid arthritis treated with Humira, Enbrel or Methotrexate: DECLINE	Rheumatoid Mild/Moderate: No use of corticosteroids, Gold, sulphasalazine, chloroquine or methotrexate. Able to perform all ADLs: CLASSIC1 Severe: use of any of	Psoriatic mild, working full time: USUALLY ACCEPT Rheumatoid, Methotrexate or Steroid use: DECLINE	Rheumatoid - minimal, slight impairment STANDARD Rheumatoid - all others DECLINE
	Other: ACCEPT	EQUIS -	EQUIS F	the meds listed above, able to perform all ADLs: CLASSIC2 Otherwise: DECLINE	EQUIS	EQUIS FLACTOR AND THE PROPERTY OF THE PROPERTY
	Tobacco use or moderate/severe or complications:	EQUIS FEMALE AND	EQUIS -	Mild: treated with single med, rare inhaler use. CLASSIC1 (with or without tobacco use)	EQUIS	EQUIS
Asthma	MODERATE: Daily symptoms and exacerbations two or more times per weeks, some restrictions on activities, daily use of bronchodilator, up to two weeks of missed time from with in the past 12 months. SEVERE: Daily	Mild: ACCEPT Moderate if build is 50 Ibs lighter than the build chart, ages 6-75: ACCEPT Severe or	Chronic or Severe: DECLINE	Moderate: treated with more than 1 med, inhaler as needed. CLASSIC1 (Nontobacco) CLASSIC2 (Tobacco User) Severe: treated continuous use of steroids and rescue	Well controlled, seasonal with allergies: ACCEPT Tobacco use: POSSIBLE ACCEPT Steroid use or	Mild, occasional, brief episodes, allergic, seasonal: STANDARD Moderate, more than 1 episode a month STANDARD Steroidal use, or combined with
	symptoms, hospital admission within the past year, symptoms not relieved with treatment, history of	hospitalization: DECLINE	EQUIS -	inhalers. CLASSIC2 (Non-tobacco) DECLINE (Tobacco User)	hospitalized within last year: DECLINE	tobacco use - smoker: DECLINE
	life-threatening attack, or greater than two weeks of work missed due to asthma in the past 12 months.	EQUIS	EQUIS F	Recent history of hospitalization:	EQUIS	EQUIS

DISEASE/DISORDER	COLUMBIAN FINANCIAL GROUP: Safe Shield	FORESTERS: Smart U.L. & Strong Foundation	MUTUAL OF OMAHA: Term Life Express - G.U.L. Express	GPM: Equity Protector	AMERICO:	American Amicable:
Atrial Fibrillation (A-Fib)	In the past 10 years received treatment/ diagnosis or had follow-up: DECLINE If more than 10 years: POSSIBLE ACCEPT	EQUIS DECLINE EQUIS	EQUIS POLICE FOR THE	Corrected with successful ablation: CLASSIC1 Ongoing treatment or current symptoms: CLASSIC 2 Accompanied by coronary or cerebral vascular disease: DECLINE	With RF ablation, no re-occurrence after 3 months: POSSIBLE ACCEPT Otherwise: DECLINE	EQUIS DECLINE EQUIS EQUIS
Bipolar Disorder	EQUIS DECLINE EQUIS FOUIS	DECLINE EQUIS FOUIS	EQUIS - FOUIS - FOUIS - FOUIS -	≥1 year since diagnosis. Mild or moderate: well controlled with fewer than three meds, little impact on daily living (ex: actively working): CLASSIC2 Otherwise: DECLINE	DECLINE EQUIS	EQUIS DECLINE EQUIS EQUIS
Blood Pressure (Hypertension)	EQUIS ACCEPT EQUIS	If controlled. MUST be 50 lbs lighter than relative build chart:	ACCEPT Table 2 or higher build with multiple impairments or hospitalizations within past 10 years: DECLINE	Well controlled (with or without medication): CLASSIC 1 Uncontrolled: DECLINE	Controlled and after 6 months of treatment:	Controlled, 2 or fewer medications - must provide current BP history: STANDARD Uncontrolled, more than 3 medications, or combined with Thyroid disorder: DECLINE
Bronchitis	EQUIS POLICE DECLINE	Acute: ACCEPT Chronic: DECLINE	EQUIS FOR DECLINE	Chronic (COPD) Mild/Moderate Non- tobacco: CLASSIC2 Mild/Moderate Tobacco: DECLINE	EQUIS - EQUIS - EQUIS - DECLINE	Acute - recovered: STANDARD Chronic:
	EQUIS	EQUIS	EQUIS FEQUIS FEATANCE AND	Symptomatic/Shortness Breath: DECLINE Oxygen: DECLINE	EQUIS	EQUIS -

	COLUMBIAN FINANCIAL GROUP:	FORESTERS:	MUTUAL OF OMAHA:	GPM:	AMERICO:	American Amicable:
DISEASE/DISORDER	Safe Shield	Smart U.L. & Strong Foundation	Term Life Express - G.U.L. Express	Equity Protector	HMS Series	Home Protector
	EQUIS	EQUIS	EQUIS 7	Non-tobacco ≥age 60: CLASSIC1	EQUIS -	EQUIS
	EQUIS		EQUIS	<age 60:="" classic2="" td="" tobacco<=""><td></td><td>EQUIS</td></age>		EQUIS
	In the past 10 years received treatment/		EQUIS E	≥age 60: CLASSIC2 <age 60:="" decline<="" td=""><td></td><td>EQUIS</td></age>		EQUIS
Bypass Surgery	diagnosis or had follow-up: DECLINE		EQUIS	EQUIS		EQUIS
(CABG)	If more than 10 years:	DECLINE	DECLINE	Ongoing chest pain after surgery: DECLINE	DECLINE	DECLINE
	*Medical Records		EQUIS	Combined with diabetes:		EQUIS
	Required		EQUIS E	DECLINE		EQUIS
	EQUIS -		EQUIS	Combined with stroke/		EQUIS
	EQUIS =	EQUIS =	EQUIS 7	DECLINE	EQUIS -	EQUIS -
	EQUIS		EQUIS	Basal Cell Stage 1&2, 2 years since successful treatment: CLASSIC1		EQUIS
	EQUIS		EQUIS	EQUIS		EQUIS
	More than 5 years since last diagnosis and treatment:		EQUIS E	The following cancers may be considered if:		EQUIS
	POSSIBLE ACCEPT		EQUIS	-single occurrence, -over 5 years since		EQUIS
	In the past 10 years received treatment/ diagnosis or had	EQUIS	FQUIS 7	-Regular follow up testing completed:		Basal or Squamous cell carcinoma,
	follow-up: Metastatic (spread), Hodgkins	Diagnosis and end of treatment over 10 years ago or	EQUIS	Breast Stage 0 & 1 CLASSIC1		isolated occurrence:
Cancer	Disease, Leukemia, Lymphoma, Liver, Lung	recurrence: ACCEPT	EQUIS E	Prostate Stage 1 & 2		EQUIS
Melanoma/Skin/ Basal/Squamous	or Pancreatic:	Basal Cell: ACCEPT	DECLINE	CLASSIC1 Testicular Stage 1	DECLINE	7 years since surgery, diagnosis, or last treatment, no
	DECLINE	All others including Hodgkin's Lymphoma:	EQUIS 7	CLASSIC1 Thyroid Stage 1 & 2		recurrence or additional
	*If cancer was any type other than those listed	DECLINE	FOUIS	CLASSIC1 Melanoma Stage 1A		occurrence:
	above for decline,		FOLUS - F	&1B CLASSIC1 Cervical- Stage 0 & 1A		STANDARD
	possible with medical records provided by		TEOLUS -	CLASSIC1		TEOLUS .
	the proposed at the time of application.		THEODIS &	All other: types, staging, multiple cancers,		The second
	EQUIS		EQUIS	recurrence, spreading to lymph nodes or other		EQUIS
	EQUIS	EQUIS	EQUIS	areas of the body: DECLINE	EQUIS	EQUIS

	COLUMBIAN	FORESTERS:	MUTUAL OF OMAHA:	GPM:	AMERICO:	American Amicable:
DISEASE/DISORDER	FINANCIAL GROUP: Safe Shield	Smart U.L. & Strong Foundation	Term Life Express - G.U.L. Express	Equity Protector	HMS Series	Home Protector
	In the past 10 years received treatment/	EQUIS	EQUIS 7	EQUIS TINAME TAN	EQUIS	EQUIS -
	diagnosis or had follow-up: DECLINE	EQUIS		EQUIS -		EQUIS
Cardiomyopathy	If more than 10 years: POSSIBLE ACCEPT	DECLINE	DECLINE	DECLINE	DECLINE	DECLINE
	*Medical Records Required	EQUIS	EQUIS	EQUIS	EQUIS	EQUIS
	If less than 1 year	EQUIS		>1 year since last attack, no ongoing		EQUIS :
	since last flare- up(fever, anemia, severe colic,	EQUIS		treatment with corticosteroids or immunosuppressive		EQUIS
Crohn's	dehydration, weight loss and/or	> 5 years in remission:	ACCEPT	therapy and no current symptoms: CLASSIC1	DECLINE	Diagnosed prior to age 20 or within the
Gioinis	hospitalization, pending surgery or surgery less than 6	ACCEPT	Addition of the second	corticosteroids or immunosuppressive drugs		past 12 months: DECLINE
	months ago: DECLINE	EQUIS		CLASSIC2		EQUIS
	EQUIS	EQUIS		Current symptoms or within one year of last attack: DECLINE		EQUIS
	EQUIS 5	EQUIS 5	EQUIS 7	Colitis - Ulcerative	FQUIS -	FQUIS -
	EQUIS	EQUIS		Intermittent, mild or moderate (single or intermittent attack with		EQUIS
	EQUIS	Ulcerative: Mild to		clinical remission	IBS:	Ulcerative, diagnosed prior to age 20 or
Colitis	Moderate to severe UC:	moderate, intermittent:	ACCEPT	greater than 1 month), without corticosteroid	AGOLI	within the last 12
	TOUS	ACCEPT		or immunosuppressive therapy: CLASSIC1	Ulcerative Colitis: DECLINE	months: DECLINE
	EQUIS	EQUIS		Otherwise:		EQUIS
	EQUIS	EQUIS	EQUIS	CLASSIC2	EQUIS	EQUIS
	EQUIS	Strong Foundation: Non Smoker, mild		Chronic (COPD) Mild/Moderate Non-		EQUIS
COPD (Chronic	EQUIS	COPD, no oxygen, no steroids or serious	Chronic Bronchitis or	tobacco: ECALASSIC2		EQUIS
Obstructive Pulmonary Disease)	DECLINE	COPD medications: ACCEPT	Emphysema: DECLINE	Mild/Moderate Tobacco: DECLINE	DECLINE	DECLINE
	FRUIS	Smart UL: COPD, Chronic Bronchitis or		Symptomatic/Shortness Breath: DECLINE		EQUIS
	EQUIS =	Emphysema: DECLINE	EQUIS	Oxygen: DECLINE	EQUIS -	EQUIS -
CHF (Congestive Heart Failure)	DECLINE	DECLINE	DECLINE	DECLINE	DECLINE	DECLINE
Cystic Fibrosis	DECLINE	DECLINE	DECLINE	DECLINE	DECLINE	DECLINE

	COLUMBIAN FINANCIAL GROUP:	FORESTERS:	MUTUAL OF OMAHA:	GPM :	AMERICO:	American Amicable:
DISEASE/DISORDER	Safe Shield	Smart U.L. & Strong Foundation	Term Life Express - G.U.L. Express	Equity Protector	HMS Series	Home Protector
Depression	*Moderate to severe: DECLINE *Moderate/severe: multiple medications for depression, more than one week of work missed in the past 12 months due to depression, history of hospitalizations for depression, history of suicidal ideation or attempt.	Mild > age 25, onset more than 1 year or later, no hospitalizations or time off work: ACCEPT Severe, major depression, bipolar, schizophrenia(Rx include Lithium, Seroquel, Abilify, Respidol) DECLINE	ACCEPT Hospitalized within the past 10 years, or severe depression: DECLINE	Mild: treated with ≤2 meds. CLASSIC1 Moderate: treated with 3 meds. CLASSIC2 Severe: treated with >3 meds, recent hospitalization, and/or interferes with daily living: DECLINE	Mild with no hospitalization within 3 years, no more than 1 medication: USUALLY ACCEPT Otherwise or with alcohol abuse and/or narcotic pain medication: DECLINE	1 medication, situational in nature STANDARD
Dementia	DECLINE	DECLINE	DECLINE	DECLINE	DECLINE	DECLINE

DISTAST/DISODDED	COLUMBIAN FINANCIAL GROUP:	FORESTERS:	MUTUAL OF OMAHA:	GPM:	AMERICO:	American Amicable:
DISEASE/DISORDER	Safe Shield	Smart U.L. & Strong Foundation	Term Life Express - G.U.L. Express	Equity Protector	HMS Series	Home Protector
	EQUIS	Strong Foundation: Treated with oral	FQUIS 7	Type 2 (Well Controlled)	FAULS -	EQUIS
	EQUIS	meds, Insulin or diet; and good control; and non-smoker or <1	EQUIS	Non-tobacco <age 20:="" decline<="" td=""><td>EQUIS</td><td>EQUIS</td></age>	EQUIS	EQUIS
	GENERAL GUIDELINES:	pack/day. ACCEPT	EQUIS	age 20-39: CLASSIC2 ≥age 40:	EQUIS	EQUIS
	Insulin: diabetics under	*REQUIRED: See Foresters Product	EQUIS	CLASSIC1	FRUIS	EQUIS
	age 50, tobacco or nicotine use. DECLINE	Guide for criteria on age of diagnosis and duration since	EQUIS	Tobacco <age 20:="" decline<="" td=""><td>EQUIS</td><td>EQUIS</td></age>	EQUIS	EQUIS
	Non-insulin: diabetics	diagnosis.	FOUIS - F	age 20-39: DECLINE ≥age 40:	F FOUIS	FOUIS
	under age 30, age 30-49 who use tobacco or nicotine products,	Smart UL:	TEQUIS T	CLASSIC2	Type 2, oral meds or	Controlled with oral medications:
	age 50-65 who use tobacco or nicotine and have had diabetes for	Treated with oral meds, or diet; and good control; and non-	FOUIS	<u>Type 1</u> (Well Controlled)	diet controlled after 6 months of treatment: USUALLY ACCEPT	STANDARD
Diabetes	more than 15 years. DECLINE	smoker or <1 pack/day:	Diagnosed < age 50, table 2 or higher build, tobacco use or PVD:	Non-tobacco <age 30-59:="" 30:="" age="" classic2<="" decline="" td=""><td>Type 2, onset under age 20: DECLINE</td><td>Combined with overweight, gout, retinopathy, protein</td></age>	Type 2, onset under age 20: DECLINE	Combined with overweight, gout, retinopathy, protein
*Must be under table 2 build. Refer to diabetic build chart.	Complications such as nerve pain, kidney disease and/or	Treated with insulin; or any treatment with build exceeding	DECLINE Otherwise: ACCEPT	≥age 60: CLASSIC1	Type 1 or with insulin - onset under age 60:	in urine, diagnosed prior to age 35, or tobacco use within
	retinopathy: DECLINE	standard build chart, poor control or complications:	PEQUE 7	Tobacco	DECLINE	the past 12 months, or uses insulin:
	ALL DIABETIC PROPOSED INSUREDS	DECLINE	FOUR	<age 30-59:="" 30:="" age="" decline="" decline<="" td=""><td>FOUIS</td><td>DECLINE</td></age>	FOUIS	DECLINE
	MUST FIT WITHIN THE DIABETIC BUILD	EQUIS	EQUIS TE	≥age 60: CLASSIC2	E EQUIS	EQUIS
	DIABETIC CALCULATIONS	EQUIS -	EQUIS	Type 1 or 2	EQUIS	EQUIS
	FOUND ON PAGE 9 OF THE SAFE SHEILD PRODUCT GUIDE (8/2020)	FQUIS 7	TEQUIS 7	History uncontrolled blood sugars or complications such as insulin shock, diabetic	EQUIS -	FQUIS *
	EQUIS	EQUIS	EQUIS	coma or significant neuropathy: DECLINE	EQUIS	EQUIS
	EQUIS	EQUIS	EQUIS TE	Combined with heart disease, stroke/tia, or vascular disease: DECLINE	EQUIS	EQUIS
	FQUIS	EQUIS	If maternity, fractures,	EQUIS	EQUIS	EQUIS
Disabled/Disability	ACCEPT	ACCEPT	spinal or back disorders, hip or knee replacements: ACCEPT	DECLINE	Due to arthritis:	If receiving SSDI, income benefits, or
	EQUIS	EQUIS	Otherwise:	EQUIS	EQUIS	not working: DECLINE

DISEASE/DISORDER	COLUMBIAN FINANCIAL GROUP:	FORESTERS:	MUTUAL OF OMAHA:	GPM:	AMERICO:	American Amicable:
DIGENGE, DIGGINGEN	Safe Shield	Smart U.L. & Strong Foundation	Term Life Express - G.U.L. Express	Equity Protector	HMS Series	Home Protector
Driving Record (Including D.U.I.)	License suspended or revoked. Past 3 years: DWI, DUI, 3 or more driving violations or combination thereof:	Past 5 years: License suspended or revoked, 3 or more moving violations or 1 or more DUIs: POSSIBLE DECLINE	Last 5 years: 4 or more moving violations, DUI, or reckless driving convictions: DECLINE	*Call for Risk Assessment. Call for consideration.	Adverse driving records underwritten on individual basis, subject to motor vehicle report. DUI/DWI: multiple or last occurred under age 25: DECLINE	License currently suspended or revoked. DWI, or 2 or more accidents, or 3 or more driving violations or combination thereof within the last 3 years: DECLINE
Drug Abuse/Addiction	In the past 5 years, used or had been treated for amphetamines, cocaine, narcotics, hallucinogens, or barbiturates (OTHER THAN MARIJUANA): DECLINE * See Marijuana for specific guidelines	Other than occasional marijuana use (tobacco rates apply): DECLINE *See marijuana for additional details*	Used or convicted unlawful drugs or prescription drugs other than as prescribed within the past 10 years: DECLINE	Minimum 5 years since successful treatment, no relapse: CLASSIC 1 History of attempted relapse, minimum 5 years since treatment: CLASSIC 2 Within 5 years of treatment or current substance abuse: DECLINE	Occasional marijuana use: ACCEPT Cocaine, Amphetamines within 5 years: DECLINE Prescription Narcotics, abuse/ long-term use: DECLINE	Treatment 4 years or more, non- usage since: STANDARD Treatment, or illegal drug use within the last 4 years: DECLINE
Epilepsy	With seizures in the past year: DECLINE	Controlled on meds, no seizures for 2 years, no complications: POSSIBLE ACCEPT	EQUIS DECLINES EQUIS EQUIS EQUIS EQUIS EQUIS	Absence or petit mal seizures, or less than 12 grand mal seizures per year: CLASSIC 1 More than 12 grand mal seizures per year: CLASSIC 2 History of Epilepticus, personality or cognitive changes, progression of underlying disease: DECLINE	Grand Mal or Petit Mal attack over 6 months: POSSIBLE ACCEPT Grand Mal or Petit Mal attack within 6 months: DECLINE	Petit Mal seizures: STANDARD All others: DECLINE
Felony (Probation & Parole)	Past 3 years: DECLINE	If on probation or parole: DECLINE 1 year after probation: ACCEPT If jail time has been served, consider 5 years after parole.	Within past 10 years: DECLINE Probation and Parole: POSSIBLE DECLINE	Three+years since nonviolent conviction, parole or probation: CLASSIC 1 Otherwise, or multiple separate criminal convictions: DECLINE	10 year look back 24 months outside of Probation/Parole: POSSIBLE ACCEPT	Felony within the past 5 years: DECLINE Probation or Parole within the past 6 months: DECLINE
Fibromyalgia	EQUIS ACCEPT EQUIS EQUIS	No depression and working full time: ACCEPT	EQUIS -	Mild: treated with ≤2 meds. CLASSIC1 Moderate: treated with 3 meds. CLASSIC2 Severe: treated with >3 meds, and/or interferes with daily living: DECLINE	Not disabled, no narcotic pain medications:	STANDARD FOUIS

DISEASE/DISORDER	COLUMBIAN FINANCIAL GROUP:	FORESTERS:	MUTUAL OF OMAHA:	GPM :	AMERICO:	American Amicable:
	Safe Shield	Smart U.L. & Strong Foundation	Term Life Express - G.U.L. Express	Equity Protector	HMS Series	Home Protector
Gastric Bypass	6+ months since surgery: ACCEPT	After 1 year, weight stabilized: ACCEPT	After 1 year: ACCEPT	6+ months since successful surgery: CLASSIC 1	Over 5 years w/ no complications and within height/weight: POSSIBLE ACCEPT Otherwise: DECLINE	Weight reduction within the past 1 year or any history of complications such as dumping syndrome: DECLINE
Heart Attack	In the past 10 years received treatment/ diagnosis or had follow-up: DECLINE If more than 10 years: POSSIBLE ACCEPT *Medical Records Required	DECLINE EQUIS	EQUIS -	SEE UNDERWRITING GUIDE	DECLINE	EQUIS DECLINE
Heart Murmur	In the past 10 years received treatment/ diagnosis or had follow-up: DECLINE If more than 10 years: POSSIBLE ACCEPT *Medical Records Required	"Innocent" and no symptoms: ACCEPT	EQUIS -	EQUIS - CLASSIC 1 _{UIS} - FQUIS	Mitral Valve Prolapse, no medications: USUALLY ACCEPT Otherwise: POSSIBLE DECLINE	EQUIS DECLINE
Heart Surgery	In the past 10 years received treatment/ diagnosis or had follow-up: DECLINE If more than 10 years: POSSIBLE ACCEPT *Medical Records Required	EQUIS DECLINE	EQUIS -	See bypass or stent above. Heart Valve: DECLINE	Heart Valve Repair: DECLINE	EQUIS DECLINE
Hepatitis	A, recovered: ACCEPT B or C: DECLINE ACCEPT ACCEPT	A, recovered: ACCEPT B or C: DECLINE ACCEPT B OF C: DECLINE	A: POSSIBLE ACCEPT B or C: DECLINE AGUIS AGUIS AGUIS AGUIS AGUIS AGUIS AGUIS	Hepatitis B: Fully resolved with no current anti-viral drugs: CLASSIC 1 Currently taking anti-viral drugs: CLASSIC 2 Hepatitis A: Fully resolved with no current anti-viral drugs: CLASSIC 1 Hepatitis C: Decline	A, recovered: ACCEPT B or C: DECLINE	Any history of, diagnosis of, or treatment for Hep B or C: DECLINE

	COLUMBIAN FINANCIAL GROUP:	FORESTERS:	MUTUAL OF OMAHA:	GPM:	AMERICO:	American Amicable:
DISEASE/DISORDER	Safe Shield	Smart U.L. & Strong Foundation	Term Life Express - G.U.L. Express	Equity Protector	HMS Series	Home Protector
HIV + VE	DECLINE	DECLINE	DECLINE	Currently taking anti- viral medications, but never diagnosed with HIV: Call for risk assessment	DECLINE	Tested Positive: DECLINE
	A promise of p	Therefore The	A business A bus	Diagnosed: DECLINE	William William	The section of
Kidney Disease/ Failure/Dialysis Kidney Stones	Disease/Dialysis: DECLINE Stones: ACCEPT	Disease/Dialysis: DECLINE Stones, acute infection: ACCEPT	Disease/Dialysis: DECLINE Stones: ACCEPT	Disease/Failure/Dialysis: DECLINE	Kidney transplant donor or kidney stones: USUALLY ACCEPT Otherwise: DECLINE	Stones: STANDARD Disease/Failure/ Dialysis: DECLINE
Leukemia	DECLINE	DECLINE	DECLINE	DECLINE	DECLINE	DECLINE
	Discoid: ACCEPT	FQUIS -	FQUIS 7	Discoid: CLASSIC 1	EQUIS -	EQUIS
1	Systemic: moderate or severe. Can include swollen	Discoid: ACCEPT	Discoid: ACCEPT	Systemic:	Discoid: ACCEPT	
Lupus	joints, pleuritic chest pain or effusion and/or complications with kidneys: DECLINE	Systemic: (Erythematous) DECLINE	Systemic: (Erythematous) DECLINE	Mild: CLASSIC 1 Moderate: CLASSIC 2 Severe: DECLINE	Systemic: DECLINE	Systemic: DECLINE
Liver Disease/ Transplant	DECLINE	DECLINE	DECLINE	DECLINE	DECLINE	DECLINE
Marijuana	If smoked within the past 12 months, tobacco rates apply. If ingested, tobacco rates to not apply.	Recreational use up to 6 times per week:	Used or convicted unlawful drugs or prescription drugs other than as prescribed within the past 10 years:	Individual Consideration. Please call for Risk Assessment	Possible tobacco rates (occasional use only): ACCEPT	Medicinal with proof of card. Tobacco rates may apply. Risk assessment recommended. POSSIBLE ACCEPT Recreational: DECLINE
	EQUIS	EQUIS	EQUIS	1+ year since diagnosis, mild, no or minimal symptoms: CLASSIC 1	EQUIS	EQUIS
Multiple Sclerosis (MS)	DECLINE	DECLINE	DECLINE	Moderate symptoms preventing full time work or on disability: CLASSIC 2	DECLINE	DECLINE
	EQUIS	EQUIS	EQUIS	Severe: DECLINE	EQUIS	
Oxygen Use (excluding Sleep Apnea)	DECLINE	DECLINE	DECLINE	DECLINE	DECLINE	DECLINE

	COLUMBIAN	FORESTERS:	MUTUAL OF OMAHA:	GPM:	AMERICO:	American Amicable:	
DISEASE/DISORDER	FINANCIAL GROUP: Safe Shield	Smart U.L. & Strong Foundation	Term Life Express - G.U.L. Express	Equity Protector	HMS Series		
	In the past 10 years received treatment/	FQUIS 7	EQUIS 7	CLASSIC 1	EQUIS	EQUIS -	
Pacemaker	diagnosis or had follow-up: DECLINE	DECLINE	DECLINE	Accompanied by ischemic heart disease or other organic heart	DECLINE	DECLINE	
	POSSIBLE ACCEPT if more than 10 years	EQUIS	EQUIS	disease: DECLINE	EQUIS	EQUIS	
	EQUIS	EQUIS	EQUIS	Acute, more than 1 year since recovery and last	EQUIS	EQUIS	
	EQUIS	EQUIS	EQUIS	symptoms, not alcohol related:	EQUIS	EQUIS	
	EQUIS	Single attack, acute > 1 year ago, non alcohol-	EQUIS	Chassic 1	EQUIS	EQUIS	
Pancreatitis	DECLINE	related, no complications:	ACCEPT	Chronic, not related to alcohol, without complications, less than	DECLINE	Chronic or multiple episodes:	
	EQUIS	ACCEPT Alcohol related,	EQUIS 7	three years since last symptoms: CLASSIC 2	EQUIS	DECLINE	
	EQUIS	chronic: DECLINE	EQUIS	Related to alcohol or	EQUIS	EQUIS	
	EQUIS	EQUIS 7	EQUIS	complications mentioned above: DECLINE	EQUIS	EQUIS	
	EQUIS	EQUIS	TEQUIS 7	DECLINE	Due to accident:	EQUIS	
Paralysis	Any Paraplegia or Quadriplegia: DECLINE	Paraplegia or Quadriplegia: DECLINE	Any Paraplegia or Quadriplegia: DECLINE	DECLINE	POSSIBLE ACCEPT Otherwise:	Includes para/ quadriplegia: DECLINE	
	FQUIS 7	TEQUIS 7	TEQUIS TE	Figure F	DECLINE	EQUIS	
Parkinson's Disease	DECLINE	DECLINE	DECLINE	DECLINE DECLINE		DECLINE	
Peripheral Vascular Disease (PVD)	DECLINE	DECLINE	DECLINE	DECLINE DECLINE		DECLINE	
Pulmonary Embolism	N/A	DECLINE	DECLINE	DECLINE DECLINE		DECLINE	
Sarcoidosis	If active disease and/ or residual pulmonary impairment: DECLINE	Pulmonary: DECLINE Localized, non- pulmonary: ACCEPT	DECLINE	DECLINE	DECLINE	Pulmonary: DECLINE	
Schizophrenia	DECLINE	DECLINE	DECLINE	DECLINE	DECLINE	DECLINE	
Sleep Apnea	EQUIS	Treated and controlled:	EQUIS F	If well controlled and uses C-PAP consistently:	Current Successful	Combined with history of overweight, poorly-controlled blood pressure, COPD, or heart arrhythmia:	
	ACCEPT EQUIS	ACCEPT	ACCEPT EQUIS — E	Treated with oxygen:	treatment w/ CPAP or BIPAP: ACCEPT		
	EQUIS	EQUIS	EQUIS	DECLINE	EQUIS -	DECLINE	

DISEASE/DISORDER	COLUMBIAN FINANCIAL GROUP:	FORESTERS:	MUTUAL OF OMAHA:	GPM:	AMERICO:	American Amicable:	
	Safe Shield	Smart U.L. & Strong Foundation	Term Life Express - G.U.L. Express	Equity Protector	HMS Series	Home Protector	
Stroke/CVA/TIA	EQUIS =	EQUIS =	EQUIS 7	Must be at least one year since single stroke, no or	EQUIS -	EQUIS -	
	EQUIS	EQUIS	EQUIS	minimal residual symptoms, non-tobacco user.		EQUIS	
	DECLINE	DECLINE	EQUIS DECLINE	70+ years old at diagnosis: CLASSIC 1	DECLINE	FOUIS	
	EQUIS	EQUIS	EQUIS	Ages 40-69 at diagnosis: CLASSIC 2		EQUIS	
	EQUIS	EQUIS	EQUIS	Under the age of 40 at diagnosis, or multiple		EQUIS	
	EQUIS	EQUIS	EQUIS	strokes, or a single stroke with severe		EQUIS	
	EQUIS -	EQUIS	EQUIS	residuals: DECLINE		EQUIS	
Suicide Attempt	N/A	DECLINE	DECLINE	DECLINE	DECLINE	DECLINE	
Transportation Assistance	Permanent use: DECLINE	DECLINE	DECLINE	*Call for Risk Assessment	DECLINE	DECLINE	
Weight	SEE BUILD CHART.	SEE BUILD CHART OR DIABETIC BUILD CHART.	SEE BUILD CHART OR MULTIPLE IMPAIRMENT BUILD CHART (TABLE 2).	SEE BUILD CHART for Classic 1 or Classic 2.	SEE BUILD CHART.	SEE BUILD CHART.	

BUILD CHARTS - GENDER NEUTRAL

Height	CFG	FORESTERS	FORESTERS Standard Max Build (Medical Impairments)	MUTUAL OF OMAHA	MUTUAL OF OMAHA *TABLE 2	GPM Classic 1/ Classic 2	AMERICO HMS Series	American Amicable Home Protector
4'8"	189	185	140	197	184	177/195	189	
4'9"	196	193	145 m 7 mm	202	189	183/201	196	
4'10"	203	198	150	208	194	189/209	203	199
4'11"	210	207	155	214	199	196/216	210	205
5′	217	212	7 161 m 7 100	220	205	203/223	217	212
5′1″	224	221	166	226	211	210/231	224	220
5'2"	232	225	172	232	215	216/238	232	227
5'3"	239	234	Stone Stone Stone Stone	238	220	223/246	239	234
5'4"	247	243	183	245	225	231/254	247	242
5'5"	255	250	189	251	231	238/262	255	249
5'6"	263	259	195	258	239	245/270	263	257
5′7″	271	265	201	265	245	253/278	271	265
5'8"	279	274	207	274	251	260/287	279	273
5'9"	287	281	213	282	258	268/295	287	281
5'10"	296	292	219	289	266	276/304	296	289
5′11"	304	298	225	298	274	284/312	304	298
6′	313	307	232	305	281	292/321	313	306
6'1"	322	314	238	313	289	300/330	322	315
6'2"	331	325	245	321	296	308/339	331	323
6'3"	340	336	252	329	303	316/348	340	332
6'4"	349	342	258	338	311	325/358	349	341
6'5"	358	353	265	347	319	334/367	358	350
6'6"	367	360	272	358	328	342/377	367	359
6'7"	377	791 0		367	336	351/387	377	368
6'8"	386	(0)		376	345	360/396		378
6'9"	396	993		385	352	369/406		387
6'10"				395	359			